

2025



COMPLEX APPLICATION OF PRODUCTS



PEPTIDES

Anti-aging technologies of peptide
and non-peptide bioregulation

PREFACE

Since our foundation, Peptides has been actively developing. The company is undergoing a process of change and growth, both in terms of quantity and quality. Furthermore, we are committed to the continual enhancement of our existing product range in order to anticipate and meet the evolving needs of our customers. As a strategic partner and exclusive representative of the St. Petersburg Institute of Bioregulation and Gerontology for a considerable period of time, we have made a distinctive contribution to the research of methods for the prevention of ageing.

The range is subject to continuous updates with the introduction of new products. This supplemented and updated edition of the 'Complex application of products' presents up-to-date information on product application schemes and their proper combination with each other.

This edition reflects our considerable experience with peptide bioregulators and other classes of geroprotectors. It presents anti-ageing, preventive and detoxification programs adjusted to changes in our product range. We have attempted to respond to the most frequently asked questions of our customers and partners in a comprehensive and accurate manner. It is our sincere hope that the updated 'Complex application of products' will prove an effective tool for you in achieving active longevity, health, youth and beauty.

The Peptides team

CRUCIAL INFORMATION

The majority of the preparations recommended in this publication are classified as parapharmaceuticals. The distinctive characteristics of their certification and implementation suggest that the phrase «during meals» should be included in the section «directions for use,» given that parapharmaceuticals are formally classified as biological food supplements. Accordingly, the packaging, instructions for use and catalogues indicate that the products should be taken during meals. However, in this complex application of products, it is recommended that the products be taken before meals, as this is considered to be the most appropriate method. This approach ensures that the products are absorbed by the body in the most effective way, thereby increasing their efficacy.

The president of Peptides,
MD, PhD, doctor D.A. Gorgiladze

NOTA BENE:

The latest edition of the “Complex application of products” encompasses alternative regimens for the correction of diverse pathologies, incorporating lingual Cytomaxes and Cytogens in the form of tables. This allows for the straightforward replacement of encapsulated preparations with peptide bioregulators in lingual form.

CONTENTS

Cardiovascular system pathologies	Atherosclerosis, arterial hypertension, cardiopsychoneurosis	7
	Coronary heart disease, post-stroke and post-infarction rehabilitation	8
	Raynaud's disease	9
	Rheumatism, myocarditis, endocarditis	10
	Cardiac insufficiency, varicose vein disease, thrombophlebitis	11
Respiratory system pathologies	Bronchial asthma	13
	Bronchitis, pneumonia, emphysema	14
	Tuberculosis	15
Gastrointestinal tract pathologies	Crohn's disease, ulcerative colitis	17
	Gastritis, peptic ulcer of the stomach and duodenum	18
	Haemorrhoids	19
	Dyspepsia, enterocolitis	20
	Diverticulosis, constipation, flatulence	21
	Biliary dyskinesia, calculous cholecystitis, postcholecystectomy syndrome	22
	Fungal and parasitic invasion	23
	Chronic hepatitis, liver cirrhosis	24
	Chronic pancreatitis	25
Nervous system pathologies	Depressive syndrome	27
	Meningitis, neuritis	28
	Migraine	29
	Disseminated sclerosis	30
	Amyotrophic lateral sclerosis	30
	Stress, chronic fatigue syndrome	31
	Decreased memory	32
	Epilepsy	33

Urinary tract pathologies	Urolithiasis, pyelonephritis, cystitis	35
	Interstitial nephritis, glomerulonephritis, renal failure	36
Metabolic disorders	Thyroid dysfunction	39
	Diabetes mellitus	40
	Obesity	41
	Gout	42
Skin pathologies	Vitiligo, psoriasis, neurodermatitis, eczema	45
	Herpes zoster	46
	Chromophytosis (pityriasis versicolor)	47
	Trophic ulcer	48
	Furunculosis	49
Musculoskeletal pathologies	Rheumatoid arthritis	51
	Arthroses, arthritides, osteochondrosis	52
	Osteoporosis, fractures	53
Visual pathologies	Retinal angiopathy and degeneration, dry macular dystrophy, glaucoma, cataract	55
ENT pathologies	Sinusitis, pharyngitis, laryngitis, tonsillitis	57
	Sensorineural hearing loss	57
Oral cavity disorders	Parodontosis, stomatitis, initial caries	59
Reproductive system pathologies	Male infertility, prostatitis	61
	Prostate adenoma	62
	Female infertility, adnexitis, ovarian cyst, menstrual dysfunction, premenstrual syndrome	62
	Climacteric syndrome	63
	Mastopathy, uterine fibroids, endometriosis	64
	Salpingo-oophoritis, endometritis, gynecological surgeries	65
	Initial stages of pelvic organ prolapse with symptoms of stress urinary incontinence	65

Chronic intoxications	Heavy-metal poisoning	67
	Alcoholism	68
	Basic express detoxification program	69
Oncology diseases	Oncology diseases (in combination with prescribed therapy)	71
	A. Basic scheme (developed in conjunction with R.N. Pinaev)	
	Oncology diseases (in combination with prescribed therapy)	72
	B. Alternative scheme (developed in conjunction with R.N. Pinaev)	
	Cancer prevention (the scheme is developed in conjunction with R.N. Pinaev)	73
Peptide prevention of premature ageing	Premature aging prevention (Revilab ML)	75
	Express course of premature aging prevention (Revilab SL)	75
	Express course of premature aging prevention (cytogens)	76
	Express course of premature aging prevention (cytomaxes)	76
	Express course of premature aging prevention (lingual cytomaxes)	77
	Express course of premature aging prevention (Prime Peptide)	78
	Express course of premature aging in post-covid syndrome (2-3 months)	78
Other conditions	Allergy	81
	Anaemia (only applicable in the absence of suspicion of lymphoma, leukaemia or myeloma)	82
	Support of the body during sporting activities	82

Abbreviation list

Abbreviation	Full form
BCAAs	Branched chain amino acids
BP	Blood pressure
CNS	Central nervous system
GI tract	Gastrointestinal tract

Abbreviation	Full form
PUFA	Polyunsaturated fatty acids
tblsp.	tablespoon
Q10	Coenzyme Q10 – ubiquinone
SOD	Superoxide dismutase

A stylized, light gray line drawing of a human heart and lungs, positioned on the left side of the slide. The heart is in the center, with the lungs on either side. The drawing is composed of simple, thick lines, giving it a minimalist and illustrative appearance.

Cardiovascular system pathologies

Atherosclerosis, arterial hypertension, cardiopsychoneurosis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 01	4-6 drops under the tongue in the firsthalf of the day	The myocardial and vascular peptide complex exerts a normalizing effect on both the function of the neuroendocrine system and vascular tone
	Revilab SL 03	8 drops in the morning every other day	
	Previn	1-2 tablets in the firsthalf of the day before meals	Reduce myocardial and brain tissue hypoxia
	Complex 3D	1 capsule in the morning and evening	
	Vladonix/ Vladonix Lingual	2 capsules in the morning every third day/ 10 drops under the tongue in the morning before meals	Exhibits antiatherogenic and anticoagulant effects
2 nd	Revilab ML 04	1 capsule in the morning every third day	Produces antiatherogenic and cardioprotective effects
	Vladonix	2 capsules in the morning every third day	Delivers antiatherogenic and anticoagulant effects
	Vesugen/Ventfort	1 capsule in the morning before meals	Normalizes the state of the vascular wall
	Pinealon/Cerluten	1 capsule in the morning before meals	Normalizes the condition of brain tissue
	Mesotel Ultra	1 teaspoon in the morning before meals	Normalizes CNS function
	Prime Peptide Omega	1 capsule 2 times a day during meals	Normalizes cholesterol metabolism and reduction of inflammation in the vascular wall
3 rd	Ventfort Lingual	10 drops of each product under the tongue in the morning before meals	Normalizes the state of the vascular wall
	Chelohart Lingual		Normalizes the condition of the heart muscle
	Cerluten Lingual		Normalizes the condition of brain tissue
	Mesotel Neo	1 teaspoon in the morning before meals	Normalizes CNS function
	Adestab	1 capsule in the morning before meals	Normalizes vascular tone
	Prime Peptide Omega	1 capsule 2 times a day during meals	Normalizes cholesterol metabolism and reduction of inflammation in the vascular wall
4 th	Adestab	1 capsule in the morning before meals	Normalizes the vascular tone
	Canacor	1 teaspoon in the morning before meals	Normalizes the myocardial metabolism
	Olecap	1 capsule 2 times a day during meals	Harmonizes cholesterol metabolism
	Calcium Complex	1 tablet 3 times a day during meals	Participates in blood pressure regulation

Coronary heart diseases, post-stroke and post-infarction rehabilitation

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 01 Revilab SL 02	3-4 drops of each product under the tongue in the firsthalf of the day	Rejuvenate the vascular wall, myocardium and brain tissue, accelerating their repair, optimize BP and microcirculation
	Ensil	1 capsule 3 times a day	Accelerate rehabilitation
	Complex 3D	1 capsule in the morning and evening	
	Olecap	1 capsule 2 times a day during meals	Omega-3 PUFAs reduce cholesterol levels
2–3 rd	Revilab ML 03 Revilab ML 04	1 capsule in the morning before meals (odd-numbered days)	Peptide complex rejuvenates the vascular wall, myocardium and brain tissue, accelerating their recovery, optimizes BP and microcirculation
	or Cerluten / Cerluten Lingual;	1 capsule in the morning before meals every day / 8-10 drops at 20-minute intervals before noon every day	
	Ventfort / Ventfort Lingual	1 capsule in the morning before meals every day / 8-10 drops at 20-minute intervals before noon every day	
	Vladonix / Vladonix Lingual	2 capsules in the morning before meals every day / 8-10 drops at 20-minute intervals before noon every day	Normalizes cholesterol metabolism and reduction of inflammation in the vascular wall
	Chelohart / Chelohart Lingual	1 capsule in the morning before meals every day / 8-10 drops at 20-minute intervals before noon every day	
4 th	Prime Peptide Omega	1 capsule 2 times a day during meals	Harmonizes the CNS
	Mesotel Ultra	1 teaspoon a day	Normalizes vascular tone
	Adestab	1 capsule in the morning before meals	Normalizes metabolic processes in the myocardium
	Canacor	1 teaspoon before lunch	Replenishes calcium and magnesium deficiencies
	Prime Peptide Brain	1 capsule 2 times a day during meals	Improves the functioning of the central nervous system
	Prime Peptide Omega	1 capsule 2 times a day	

N.B. Canacor is recommended for use with caution in individuals diagnosed with atrial fibrillation.

Raynaud's disease

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 01	4-6 drops under the tongue in the firsthalf of the day	Regulates vascular tone and microcirculation Optimize health and tone of blood vessels
	Olecap	1 capsule twice a day after meals	Improves microcirculation, regulates trophicity, tissue and vascular tone
2-3 rd	Revilab ML 03	1 capsule in the morning before meals	Harmonize the CNS and regulatory processes
	Cerluten / Cerluten Lingual	1 capsule in the morning before meals / 12 drops under the tongue in the morning before meals	
	Ventfort/ Ventfort Lingual	1 capsule in the morning before meals / 12 drops under the tongue in the morning before meals	
	Mesotel tabs	1 tablet in the morning before meals	
3-4 th	Mesotel Ultra	1 teaspoon in the morning before meals	Harmonizes the CNS
	Prime Peptide Brain	1 capsule twice a day	Improves the functioning of the central nervous system



Rheumatism, myocarditis, endocarditis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 01 Revilab SL 03 (odd-numbered days)	4-6 drops of each product under the tongue in the morning in the first half of the day	Strengthen the vascular wall and heart valves and produce an anti-autoimmune effect
	Revilab SL 04 (in rheumatism)		Promotes joint regeneration
2-3 rd	Olecap	1 capsule 2 times a day during meals	Protect blood vessels and valve apparatus of the heart, facilitate the regeneration of cartilage tissue
	Revilab ML 04	1 capsule in the morning (odd-numbered days)	
	Revilab ML 09	1 capsule in the morning before meals	
	Chelohart / Chelohart Lingual	1 capsule in the morning before meals / 10 drops under the tongue in the morning before meals	Strengthens the heart muscle
	Vesugen / Vesugen Lingual or Ventfort / Ventfort Lingual	1 capsule in the morning before meals / 10 drops under the tongue in the morning before meals 1 capsule in the morning before meals / 10 drops under the tongue in the morning before meals	Reinforce the vascular wall and heart valves
	Cartalax / Cartalax Lingual or Sigumir / Sigumir Lingual (in rheumatism)	1 capsule in the morning before meals / 10 drops under the tongue in the morning before meals 1 capsule in the morning before meals / 10 drops under the tongue in the morning before meals	
4 th	Mesotel Neo	1 teaspoon in the morning before meals	Produces rejuvenating, antioxidant effects
	Canacor Complex 3D	1 teaspoon before noon 1 capsule in the morning and evening	Normalize metabolism in the myocardium
	Chondromix (in rheumatism)	1 tablet twice a day	
	Prime Peptide Protect	1 capsule once a day	Antioxidant, rejuvenating, and anti-inflammatory effects

Cardiac insufficiency

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Ventfort / Ventfort Lingual	1-2 capsules in the morning before meals / 10 drops under the tongue in the morning before meals	Regulate the cardiovascular system
	Chelohart / Chelohart Lingual	1-2 capsules in the morning before meals / 10 drops under the tongue in the morning before meals	
	Canacor	1 teaspoon in the morning before meals	
3 rd	Revilab ML 04	1 capsule in the morning every third day	Improve microcirculation, regulate tissue trophicity, myocardium and vascular tone
	Prime Peptide Omega	1 capsule 2 times a day	
	Complex 3D	1 capsule in the morning and evening	
	Ensil	1 capsule 3 times a day	
4 th	Mesotel Neo	1 teaspoon in the morning before meals	Delivers an antioxidant effect

Varicose vein disease, thrombophlebitis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 01	4-6 drops under the tongue in the morning	Strengthen the vascular wall, increase venous tone
	Ardiliv	1 capsule 2 times a day in the morning and evening before meals	
2 nd	Revilab ML 04	1 capsule in the morning every third day	Reinforce the vascular wall, increase venous tone
	Vesugen / Vesugen Lingual	1-2 capsules in the morning before meals / 10 drops under the tongue in the morning before meals	
	or		
	Ventfort / Ventfort Lingual	1-2 capsules in the morning before meals / 10 drops under the tongue in the morning before meals	
	Complex 3D	1 capsule in the morning and evening	
	Ardiliv	1 capsule 2 times a day before meals (in the morning and evening)	
3 rd	Prime Peptide Omega	1 capsule 2 times a day during meals	Helps reduce inflammation and cholesterol levels
	Ardiliv	1 capsule 2 times a day before meals (in the morning and evening)	Reinforce the vascular wall, increase venous tone
	Olecap	1 capsule 2 times a day during meals	Contributes to lowering cholesterol levels



Respiratory system pathologies

Bronchial asthma

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 03	4-6 drops in the morning once every 2 days	Reduces allergy
	Revilab SL 06 / Alvenorm forte	4-6 drops under the tongue in the morning/ 1 tablespoon twice a day before meals	Increases the elasticity of lung tissue, reduce bronchospasm, normalize local immunity
	Ensil / Revilab elements	1 capsule 3 times a day 1 tablet 3 times a day	Improves tissue respiration
	Pangluin / Calcium Complex	1 teaspoon in the morning before meals 1 tablet 3 times a day during meals	Reduces allergy Reduces allergic reaction
2 nd	Endoluten / Endoluten Lingual	1 capsule in the morning , once every 3 days / 6-7 drops in the morning under the tongue, once every 3 days	Reduces allergy
	Taxorest/ Taxorest Lingual	2 capsules in the morning before meals / 12-14 drops in the morning before meals	Improves the condition of the bronchial tree
	Chonluten / Chonluten Lingual	2 capsules in the morning before meals / 12-14 drops in the morning before meals	Improves lung function
3-4 th	Revilab ML 05	1 capsule in the morning before meals	Restores bronchial function
	Mesotel Beauty	1 teaspoon before noon	Produces antioxidant and immunomodulatory effects
	Prime Peptide Protect	1 capsule once a day	Reduces allergization
	Temero Genero	1 tablet in the morning before meals 1 tablet in the evening before meals	Regulates neuroendocrine and immune processes



Bronchitis, pneumonia, emphysema

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 06 / Alvenorm forte	4-6 drops under the tongue before lunch/ 1 tbsp. twice a day before meals	Protect bronchial mucosa from damage, reduce allergy, increase the elasticity of alveoli
	Revilab elements	1 tablet 3 times a day	Improve tissue respiration, boost immunity
	Amvix	1 tablet in the evening	
2–3 rd	Taxorest/ Taxorest Lingual or Revilab ML 05	1 capsule in the morning before meals / 12-14 drops under the tongue in the morning before meals 1 capsule in the morning before meals	Protect the bronchi and lungs from damage
	Chonluten / Chonluten Lingual or Revilab ML 05	1 capsule in the morning before meals / 12-14 drops under the tongue in the morning before meals 1 capsule in the morning before meals	Increase the elasticity of the lungs
	Vladonix	2 capsules in the morning before meals	Produces immunocorrective effect
	Mesotel Beauty	1 teaspoon before noon	Exhibits antioxidant action, strengthens immunity
	Prime Peptide Protect	1 capsule 2 times a day before meals	Increases nonspecific immunity

Tuberculosis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 06 / Alvenorm forte	4-6 drops under the tongue before lunch/ 1 tbsp. twice a day before meals	Protects bronchial mucosa from damage, reduce allergy, increase the elasticity of alveoli
	Ensil/ Revilab elements	1 capsule 3 times a day 1 tablet 3 times a day	Improves tissue respiration, boosts immunity
	Revimite	1 teaspoon 1-2 times a day	A source of B group vitamins, delivers an antioxidant effect
	Mesotel Beauty	1 teaspoon before noon	Exerts antioxidant effect, strengthens imunity
2-3 rd	Revilab ML 05	1 capsule in the morning before meals	Improves respiratory and immune system function
	Chonluten / Chonluten Lingual	1 capsule in the morning before meals / 12-14 drops under the tongue in the morning	Enhances lung function
	Vladonix / Vladonix Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning	Boosts immunity
	Taxorest/ Taxorest Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning	Protects lung tissue from damage
	Revimite	1 teaspoon 1-2 times a day	A source of B group vitamins, delivers an antioxidant effect
	Mesotel Beauty	1 teaspoon before noon	Exerts antioxidant effect, strengthens imunity





Gastrointestinal tract pathologies

Crohn's disease, ulcerative colitis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 03	4-6 drops under the tongue in the morning, once every 3 days	Provide anti-autoimmune action. Promote regeneration of the mucous membrane of the gastrointestinal tract
	Chonluten	2 capsules once a day	
	Prime Peptide Protect	1 capsule twice a day	
	Digemax	1 teaspoon twice a day before meals	Normalizes digestive processes
	Revimite	1 teaspoon 1-2 times a day	A source of iron, vitamins and antioxidants
2-3 rd	Revilab SL 03	4-6 drops in the morning once every 3 days	Exhibits an anti-autoimmune effect
	Revilab SL 05	4-6 drops under the tongue before lunch	Regulates GI function
	Olecap	1 capsule 2 times a day before meals	Accelerates healing of GI mucosa
	Digemax	1 teaspoon twice a day before meals	Normalizes digestive processes
	Probiset	1 capsule 2 times a day	Improves the growth of beneficial microflora
	Calcium Complex	1 tablet 3 times a day during meals	Replenishes deficiencies of calcium, magnesium, vitamins K, D, E A, which can occur as a result of both diarrhoea and dietary intake



Gastritis, peptic ulcer of the stomach and duodenum

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 05	4-6 drops under the tongue before lunch	The peptide complex assists in normalization of digestive processes and healing of gastric mucosa
	Chonluten	2 capsules once a day	
	Digemax	1 teaspoon twice a day before meals	Normalizes gastrointestinal function
2 nd	Olecap	1 capsule 2 times a day during meals	Promotes healing of the mucous membrane of the stomach and duodenum
	Panaxod	2-4 capsules a day	
	Chonluten / Chonluten Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	
	Chonluten / Chonluten Lingual	1 capsule in the morning before meals / 12-14 drops under the tongue in the morning before meals	
	Revilab ML 06	1 capsule in the morning before meals	Normalizes the functions of the liver, stomach and pancreas
3 rd	Prime Peptide Protect	1 capsule once a day	Promotes mucosal regeneration
	Ensil	1 capsule 3 times a day	Prevents the development of cancer pathology
	Pangluin	1 teaspoon in the morning before meals	Normalizes pancreatic function
	Ardiliv	1 capsule 2 times a day before meals (in the morning and evening)	Normalizes biliary tract function
	Calcium Complex	1 tablet 3 times a day during meals	Promotes healing of the GI mucosa

Haemorrhoids

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 01	4-6 drops under the tongue in the morning	The combination of these products reinforces the vascular wall and enhances venous tone
	Complex 3D	1 capsule in the morning and evening	
	Cleantestin	1 teaspoon twice a day during meals	Normalizes intestinal function
2 nd	Vesugen / Vesugen Lingual or Ventfort / Ventfort Lingual	2 capsules in the morning before meals / 12-14 drops in the morning every day	Strengthen the vascular wall, increase venous tone
	Ardiliv	2 capsules in the morning before meals / 12-14 drops in the morning every day	
	Ardiliv	2 capsules a day before meals (morning/afternoon)	Accelerates reparative processes in mucous membranes
	Olecap	1 capsule 2 times a day during meals	
	Digemax	1 teaspoon twice a day before meals	
3 rd	Revilab ML 03	1 capsule in the morning before meals	Reinforce the vascular wall and enhance venous tone
	Ardiliv	1 capsule 2 times a day (morning/afternoon)	Normalize the blood coagulation system and prevent the development of colorectal cancer
	Calcium Complex	1 tablet 3 times a day during meals	
	Vladonix	1 capsule 1 time a day before meals	Enhance anti-tumour immunity
	Ensil	1 capsule 3 times a day before meals	



Dyspepsia, enterocolitis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 05 / Revilab ML 06	4-6 drops under the tongue before lunch / 1 capsule in the morning before meals	Promotes regeneration of the GI mucosa
	Cleantestin	1 teaspoon twice a day during meals	Normalizes the GI tract
2 nd	Chonluten / Chonluten Lingual or Chonluten / Chonluten Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals 2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Promote regeneration of the mucous membrane of the GI tract
	Suprefort / Suprefort Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	
	Ovagen / Ovagen Lingual or Svetinorm / Svetinorm Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals 2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	
	Pangluin	1 teaspoon in the morning before meals	
	Ardiliv	2 capsules a day before meals (morning/ afternoon)	
	Prime Peptide Omega	1 capsule twice a day	
3 rd	Digemax	1 teaspoon twice a day before meals	Normalizes the GI tract
	Probiset	1 capsule 2 times a day before meals	Enhances the growth of normal microflora
	Revimite	1 teaspoon 1-2 times a day	Replenishes the deficiency of iron, vitamins and organic acids
	Calcium Complex/ Revilab elements	1 tablet 3 times a day during meals 1 tablet 2-3 times a day during meals	Replenishes the deficiency of calcium, magnesium, vitamins K, D, E, A, promotes healing of the mucous membrane of the gastrointestinal tract

Diverticulosis, constipation, flatulence

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 05 / Revilab ML 06	4-6 drops under the tongue before lunch / 1 capsule in the morning before meals	Restore gastrointestinal functions
	Digemax	1 teaspoon twice a day before meals	
	Cleantestin	1 teaspoon twice a day during meals	
	Prime Peptide Protect	1 capsule in the morning, once a day	Restores normal gastrointestinal microflora
	Probiset	1 capsule 2 times a day	
2–3 rd	Digemax	1 teaspoon twice a day before meals	Restore gastrointestinal functions
	Cleantestin	1 teaspoon twice a day during meals	
	Ovagen / Ovagen Lingual or Svetinorm / Svetinorm Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals 2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Normalizes liver function
	Suprefort / Suprefort Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Normalizes pancreatic function
4 th	Calcium Complex	1 tablet 3 times a day during meals	Replenishes calcium and magnesium deficiency, prevents the development of colon cancer
	Revimite	1 teaspoon 1-2 times a day	Enhance anti-tumour immunity
	Zinsil-T	1 tablet twice a day	
	Ensil	1 capsule twice a day	



Biliary dyskinesia, calculous cholecystitis, and postcholecystectomy syndrome

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 05 / Revilab ML 06	4-6 drops under the tongue in the morning / 1 capsule in the morning before meals	Increase antitoxic function of the liver, tone of the biliary tract and contribute to the regulation of bile production
	Ardiliv	2 capsules a day before meals (morning/afternoon)	
	Digemax	1 teaspoon twice a day before meals	Helps normalize digestion
2-3 rd	Olecap	1 capsule 2 times a day during meals	Promotes cleansing of the liver and bile ducts, oxygenation of the liver cells
	Ovagen / Ovagen Lingual or Svetinorm / Svetinorm Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Helps normalize digestion
	Suprefort / Suprefort Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	
	Ardiliv	1 capsule in the morning before meals	Regulates the motility of the biliary tract
	Mesotel Neo	1 teaspoon in the morning before meals	Delivers an antioxidant action, normalizes liver function
	Calcium Complex	1 tablet 3 times a day during meals	Promotes healing of the GI mucosa

Fungal and parasitic invasion

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Crystagen / Crystagen Lingual or Vladonix / Vladonix Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Ensure antiparasitic, antifungal and immunomodulatory effects
	Ovagen / Ovagen Lingual or Svetinorm / Svetinorm Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	
	Cleantestin	1 teaspoon twice a day during meals	
	Gelmigon	2-3 capsules a day before meals	
	Revilab ML 02 / Prime Peptide Protect	1 capsule in the morning before meals	
3-4 th	Probiset	1 capsule 2 times a day before meals	Restores normal gastrointestinal microflora
	Cleantestin	1 teaspoon twice a day during meals	Normalizes liver function



Chronic hepatitis, liver cirrhosis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revifort	1 capsule 2 times a day before meals	Increase antitoxic liver function and immunity, regulate bile production and biliary tract tone; exhibit hepatoprotective and antitoxic effects
	Ardiliv	1 capsule 2 times a day before meals	
	Revilab SL 05	4-6 drops under the tongue before lunch	
	Revilab ML 01	1 capsule in the morning once every 2 days (60 days)	
	Complex 3D	1 capsule in the morning and evening	
	Revilab elements	1 tablet 3 times a day	
	Reviplant	1-2 teaspoons a day	
2-3 rd	Ovagen / Ovagen Lingual or Svetinorm / Svetinorm Lingual	1 capsule 2 times a day before meals (morning/ afternoon) / 12-14 drops under the tongue in the morning before meals	Deliver hepatoprotective, angioprotective, immunomodulatory effect; prevent the development of liver cirrhosis
	Suprefort / Suprefort Lingual	1 capsule 2 times a day before meals (morning/ afternoon) / 12-14 drops under the tongue in the morning before meals	
	Vladonix / Vladonix Lingual	1 capsule per day before meals / 12-14 drops under the tongue in the morning before meals	
	Vesugen / Vesugen Lingual or Ventfort / Ventfort Lingual	1 capsule per day before meals / 12-14 drops under the tongue in the morning before meals	
	Ardiliv	1 capsule 2 times a day before meals, in the morning and afternoon	
4 th	Mesotel Neo	1 teaspoon a day	Produces antioxidant action and hepatoprotective
	Probiset	1 capsule 2 times a day	Produce immunomodulatory, hepatoprotective and angioprotective effects; prevent the development of liver cirrhosis
	Prime Peptide Omega	1 capsule 2 times a day during meals	

Chronic pancreatitis

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Suprefort / Suprefort Lingual	1-2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Promote normalization of pancreatic and biliary functions
	Vladonix / Vladonix Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	
	Pangluin	1 teaspoon in the morning before meals	
	Ardiliv	2 capsules a day before meals (morning/ afternoon)	
3 rd	Revilab ML 06	1 capsule in the morning before meals	Normalize the production of digestive enzymes by the pancreas, provide anti-inflammatory action
	Digemax	1 teaspoon twice a day before meals	
	Probiset	1 capsule 2 times a day	Enhances the growth of normal microflora





NERVOUS SYSTEM PATHOLOGIES

Depressive syndrome

Month of intake	Product	Application guidelines	Mode of action
1 st	Endoluten / Endoluten Lingual	1 capsule in the morning before meals once every 3 days / 6-7 drops in the morning once every 3 days	Regulates serotonin and melatonin synthesis
	Revilab SL 02	4-6 rops under the tongue	Regulates brain cells
	Mesotel Beauty	1 teaspoon before noon	Regulates the CNS
	Felicit	1-2 tablets a day before meals	Regulates the CNS, exerts antidepressant effect
2-3 rd	Revilab ML 01	1 capsule in the morning every third day	Possesses anti-stress and immunomodulatory action
	Vladonix / Vladonix Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Regulates immune status
	Pinealon / Pinealon Lingual or Cerluten / Cerluten Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Regulate brain cells
	Zinsil-T	2 tablets in the afternoon before meals	A source of glycine and vitamin B6
	Mesotel Neo	1 teaspoon before noon	Regulates the CNS
4 th	Prime Peptide Brain	1 capsule twice a day	Regulates brain cells
	Prime Peptide Omega		Regulates the immune system
	Mesotel Neo	1 teaspoon in the morning before meals	Regulates the CNS
	Temero Genero	1 tablet in the morning before meals 1 tablet in the evening before meals	Delivers antidepressant and immunomodulatory effects



Meningitis, neuritis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 02 / Revilab ML 03	4-6 drops under the tongue in the morning / 1 capsule in the morning before meals	Regulate the work of the CNS, stimulate the regeneration of nerve tissue
	Revilab SL 03 (once every 3 days)	4-6 drops under the tongue in the morning	
	Olecap	1 capsule 2 times a day with meals	A source of phospholipids, delivers an antioxidant effect
1-2 nd	Vladonix / Vladonix Lingual	2 capsules in the morning before meals / 12-14 drops in the morning before meals	Stimulates regeneration
	Cerluten / Cerluten Lingual	2 capsules in the morning before meals / 12-14 drops in the morning before meals	Regulates brain cell function
	Olecap	1 capsule 2 times a day with meals	A source of phospholipids, delivers an antioxidant effect
	Revilab elements	1 tablet 3 times a day	Regulate the nervous and immune system
	Zinsil-T	2 tablets in the afternoon before meals	
3-4 th	Prime Peptide Brain	1 capsule once a day at 15-minute intervals	Regulate CNS function, stimulate regeneration of nerve tissue
	Prime Peptide Omega		
	Mesotel Tabs	1 tablet in the morning before meals	Regulates CNS and cerebral blood circulation
	Probiset	1 capsule 2 times a day	Possesses an immunomodulatory action
	Calcium Complex	1 tablet 3 times a day during meals	A source of calcium and magnesium

Migraine

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 02	4-6 drops in the morning under the tongue	Regulate the CNS and control the vascular tone regulation
	Revilab ML 04 / Endoluten	1 capsule in the morning every third day	
	Mesotel Neo	1 teaspoon in the morning before meals	
	Temero Genero	1 tablet in the morning before meals 1 tablet in the evening before meals	Regulates neuroendocrine and immune processes
2 nd	Revilab ML 04 or Endoluten / Endoluten Lingual	1 capsule in the morning before meals, once every 3 days 1 capsule in the morning before meals, once every 3 days / 6-7 drops under the tongue, every third day	Regulates neuroendocrine processes
	Vesugen / Vesugen Lingual or Ventfort / Ventfort Lingual	2 capsules in the morning before meals 12-14 drops under the tongue in the morning before meals 2 capsules in the morning before meals 12-14 drops under the tongue in the morning before meals	
	Pinealon / Pinealon Lingual or Cerluten / Cerluten Lingual	2 capsules in the morning before meals 12-14 drops under the tongue in the morning before meals 2 capsules in the morning before meals 12-14 drops under the tongue in the morning before meals	The complex of products improves the oxygenation of brain cells, exerts anti-inflammatory, antioxidant and immunomodulatory effects
	Revilab elements	1 tablet 3 times a day	
	Olecap	1 capsule twice a day with meals	
	Mesotel Neo	1 teaspoon in the morning before meals	
	Prime Peptide Omega	1 capsule twice a day	
3-4 th	Mesotel Neo	1 teaspoon in the morning before meals	Regulate CNS and cerebral blood circulation



Disseminated sclerosis

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Revilab SL 03	6-7 drops in the morning under the tongue, once every 3 days	Regulates neuroendocrine processes, exerts an anti-autoimmune effect
	Cerluten / Cerluten Lingual	1 capsule in the morning before meals / 6-7 drops under the tongue in the morning before meals	Decelerate the rates of nerve tissue degeneration
	Revifort	2 capsules in the afternoon before meals	Delivers an anti-autoimmune effect
	Mesotel Tabs	1 tablet in the morning before meals	Regulates nerve impulse transmission
	<i>Under no circumstances should peptide doses be exceeded!</i>		
3-4 th	Revilab ML 03	1 capsule in the morning before meals	Slows down neuronal degeneration
	Mesotel	1 teaspoon before lunch	Improves brain cell oxygenation and nerve impulse conduction
	Prime Peptide Protect	1 capsule once a day in the morning	Anti-autoimmune effect
	Revimite	1 teaspoon 1-2 times a day	A source of B vitamins
	Ensil	1 capsule 3 times a day	Replenishes the deficiency of vitamins, antioxidants and coenzymes
	Revilab elements	1 tablet 3 times a day	

Amyotrophic lateral sclerosis

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Revilab SL 03	6-7 drops in the morning under the tongue, once every 3 days	Regulates neuroendocrine processes, exerts an anti-autoimmune effect
	Cerluten / Cerluten Lingual	1 capsule in the morning before meals / 6-7 drops under the tongue in the morning before meals	Decelerate the rates of nerve tissue degeneration
	Revilab elements	1 capsule 3 times a day	
	Revifort	2 capsules in the afternoon before meals	Delivers an anti-autoimmune effect
	Mesotel Tabs	1 tablet in the morning before meals	Regulates nerve impulse transmission
	<i>Under no circumstances should peptide doses be exceeded!</i>		
3-4 th	Revilab ML 03 / Prime Peptide Brain	1 capsule in the morning before meals	Slows down neuronal degeneration
	Mesotel Neo	1 teaspoon before lunch	Improves brain cell oxygenation and nerve impulse conduction
	Olecap	1 capsule 2 times a day with meals	A source of phospholipids
	Revimite	1 teaspoon 1-2 times a day	A source of B vitamins
	Ensil	1 capsule 3 times a day	Replenishes the deficiency of vitamins, antioxidants and coenzyme Q10

Stress, chronic fatigue syndrome

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Endoluten / Revilab ML 01	1 capsule in the morning before meals, once every 3 days	Regulates serotonin / melatonin synthesis, neuroendocrine system function
	Ardiliv	2 capsules a day before meals	Delivers an antitoxic effect
	Mesotel Beauty	1 teaspoon before noon	Regulates CNS function
	Revilab elements	1 tablet 3 times a day during meals	Replenishes vitamin and mineral deficiencies
	Complex 3D	1 capsule 2 times a day	A source of antioxidants and dihydroquercetin
	Cleantestin	1 teaspoon twice a day during meals	Improves GI functions and antitoxic functions of the liver
3 rd	Vladonix / Vladonix Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Regulates immune status
	Pinealon / Pinealon Lingual or Cerluten / Cerluten Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Regulates brain cell function
	Vesugen / Vesugen Lingual or Ventfort / Ventfort Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Regulates heart and vascular function
	Prime Peptide Protect	1 capsule once a day in the morning	Provides anti-stress and tonic effects
	Panaxod	2 capsules in the morning before meals	A source of superoxide dismutase
	Revilab elements	1 tablet 3 times a day during meals	Replenishes vitamin and mineral deficiencies
	Prime Peptide Brain	1 capsule once a day in the morning	Regulates brain cell function
4 th	Prime Peptide Protect		Regulates immune system function
	Mesotel Neo	1 teaspoon in the morning before meals	Regulates CNS function
	Temero Genero	1 tablet in the morning before meals 1 tablet in the evening before meals	Regulates neuroendocrine and immune processes



Decreased memory

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 02 / Revilab ML 03	4-6 drops in the morning / 1 capsule in the morning before meals	Regulate the work of the CNS, improve the oxygenation of brain cells
	Ensil/	1 capsule 3 times a day with meals	
	Revilab elements	1 tablet 3 times a day	
	Mesotel Tabs	1 tablet in the morning before meals	
2-3 rd	Pinealon / Pinealon Lingual or Cerluten / Cerluten Lingual	1-2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Improve the oxygenation of brain cells and stimulate their work
		1-2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	
	Vesugen / Vesugen Lingual or Ventfort / Ventfort Lingual	1-2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	
	Mesotel	1 teaspoon in the morning before meals	Deliver anti-inflammatory, anti-atherosclerotic, antioxidant, immunomodulatory effects
	Olecap	1 capsule 2 times a day during meals	
	Complex 3D	1 capsule a day before meals	
4 th	Calcium Complex	1 tablet 3 times a day during meals	A source of calcium and magnesium, vitamins K, D, E, A
	Zinsil-T	2 tablets a day	A source of zinc, B6, glycine.

Epilepsy

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 02 / Revilab ML 03	4-6 drops in the morning / 1 capsule in the morning before meals	Regulates CNS function
	Calcium Complex	1 tablet 3 times a day during meals	A source of calcium and magnesium
	Zinsil-T	2 tablets in the afternoon before meals	A source of zinc, B6 and glycine.
	Mesotel	1 teaspoon in the morning before meals	A source of zinc, B6 and glycine.
2–3 rd	Mesotel	1 teaspoon a day	Improves oxygenation of brain cells, regulates the processes of excitation and inhibition
	Ensil	1 capsule 3 times a day	Improves tissue respiration
	Olecap	1 capsule 2 times a day with meals	A source of phospholipids
	Pinealon / Pinealon Lingual or Cerluten / Cerluten Lingual	1-2 capsules in the morning before meals 10-12 drops under the tongue in the morning before meals	Regulate brain tissue cell function
		1-2 capsules in the morning before meals 10-12 drops under the tongue in the morning before meals	





URINARY TRACT PATHOLOGIES

Urolithiasis, pyelonephritis, cystitis

Month of intake	Product	Application guidelines	Mode of action
1–2 nd	Crystagen / Crystagen Lingual or Vladonix / Vladonix Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Normalizes immune status
	Pielotax / Pielotax Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Normalizes kidney function
	Chitomur / Chitomur Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Normalizes bladder function
	Renefort	1 capsule 2 times a day before meals	Prevents stone formation, delivers an antioxidant effect
3–4 th	Revilab SL 08	4-6 drops under the tongue in the morning	Normalizes bladder function
	Mesotel Beauty	1 teaspoon in the morning before meals	Exhibits an antioxidant action, normalizes metabolism
	Zinsil-T	2 tablets in the afternoon before meals	Normalizes immune status



Interstitial nephritis, glomerulonephritis, renal failure

Month of intake	Product	Application guidelines	Mode of action
1–2 nd	Revilab SL 03 or Endoluten / Revilab ML 01	6-7 drops in the morning before meals, once every 2 days 1 capsule in the morning before meals, once every 3 days	Peptide complex exhibits anti-autoimmune, nephroprotective effect, prevents the development of nephrosclerosis
	Pielotax / Pielotax Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	
	Vesugen / Vesugen Lingual or Ventfort / Ventfort Lingual	1-2 capsules in the morning before meals / 12-14 drops in the morning before meals 1-2 capsules in the morning before meals / 12-14 drops in the morning before meals	
	Glandokort / Glandokort Lingual	1 capsule in the morning before meals every day / 6-7 drops in the morning every day	
3–4 th	Mesotel	1 teaspoon in the morning before meals	An antioxidant, normalizes metabolism
	Renefort	2 capsules a day before meals	A membrane stabilizer and nephroprotector
	Revifort	1 capsule a day	Delivers an anti-autoimmune effect





METABOLIC DISORDERS

Thyroid dysfunction

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Thyreogen / Thyreogen Lingual	2 capsules in the morning before meals / 12-14 drops in the morning every day	Regulate the thyroid gland, prevent the growth of nodules
	Revilab SL 03	6-7 drops in the morning 1 once every 2-3 days	
3-4 th	Revilab SL 03 / Revilab ML 01	4-6 drops under the tongue, once every 3 days / 1 capsule in the morning every third day	Delivers an anti-autoimmune effect
	Mesotel Neo	1 teaspoon in the morning before meals	Normalizes CNS function and metabolism



Diabetes mellitus

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Revilab SL 03	6-7 drops in the morning under the tongue 1 once every 2-3 days	Regulates neuroendocrine processes The peptide complex exerts a preemptive effect on the basic mechanisms of diabetes development
	Suprefort / Suprefort Lingual	2 capsules in the morning before meals / 12-14 drops in the morning before meals every day	
	Pinealon / Pinealon Lingual or Cerluten / Cerluten Lingual	1-2 capsules in the morning before meals / 12-14 drops in the morning before meals every day	
	Ovagen / Ovagen Lingual or Svetinorm / Svetinorm Lingual	1-2 capsules in the morning before meals / 12-14 drops in the morning before meals every day	
		1-2 capsules in the morning before meals / 12-14 drops in the morning before meals every day	
3-4 th	Revilab ML 06	1 capsule in the morning before meals	Normalizes liver and pancreas function
	Revilab ML 04	1 capsule in the morning once every 2 days	Prevents vascular complications
	Visoluten / Visoluten Lingual Pinalex Tab	2 capsules in the morning before meals / 12-14 drops under the tongue 1 tablet 2-3 times a day during meals	Prevent retinal degeneration
	Pangluin	1 teaspoon in the morning before meals	Exhibits a moderate sugar-lowering effect
	Retisil	1 teaspoon twice a day	Normalizes retinal metabolism
	Mesotel Neo	1 teaspoon before noon	Normalize vascular function
	Ardiliv Complex 3D	2 capsules a day before meals 2 capsules a day	
5-6 th	Mesotel Ultra	1 teaspoon once a day in the morning	Normalizes CNS
	Revimite	1 teaspoon 1-2 times a day	Regulates metabolism

*To enhance metabolic processes and bolster the functional state of the cornea and retina, it is advised to apply eye balm Pinalex, at a dosage of 3-6 drops to the upper and lower eyelids in the morning and evening.

Obesity

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Endoluten / Revilab ML 01	1 capsule in the morning every third day	Regulates neuroendocrine processes
	Thyreogen / Thyreogen Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue before meals every day	Regulate metabolic processes in the body
	Ovagen / Ovagen Lingual or Svetinorm / Svetinorm Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue before meals every day	
	Suprefort / Suprefort Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue before meals every day	
	Reviform cocktail	Twice a day before meals	Replaces meals and promotes weight loss
	Revilab elements	1 tablet 3 times a day	
	Volustom	dilute 1 teaspoon in 100 ml of water twice a day in the morning before meals and in the evening	Reduces the absorption of fats and sugars, promotes weight normalization
	Cleantestin	1 teaspoon twice a day during meals	Normalizes liver function, hormone metabolism and metabolic processes in the body
3-4 th	Glandokort / Glandokort Lingual	1 capsule in the morning before meals every day / 6-7 drops under the tongue	Regulates adrenal function
	Mesotel Neo	1 teaspoon a day	An antioxidant, normalizes lipid metabolism
	Probiset	2 capsules a day before meals	Contributes to the normalized gastrointestinal microflora
	Prime Peptide Protect	1 capsule once a day	Regulates metabolic processes in the body
	Olecap	1 capsule 2 times a day with meals	Normalizes lipid metabolism
	Zinsil-T	2 tablets a day	A source of zinc and pyridoxine
	Revimite/ Revilab elements	1 teaspoon 1-2 times a day 1 tablet 3 times a day during meals	Replenishes micronutrient deficiency

Gout

Month of intake	Product	Application guidelines	Mode of action
1 st	Renefort	2 capsules a day before meals	Protect the kidneys from damage by uric acid salts
	Pielotax / Pielotax Lingual	2 capsules in the morning before meals / 14 drops in the morning before meals	
	Revilab SL 04 / Revilab ML 09	4-6 drops in the morning / 1 capsule in the morning before meals	Improves the condition of joints, promotes their regeneration
2-3 rd	Renefort	2 capsules a day before meals	Protects the kidneys, reduces uric acid levels
	Cartalax / Cartalax Lingual or Sigumir / Sigumir Lingual	2 capsules in the morning before meals 12-14 drops in the morning before meals 2 capsules in the morning before meals 12-14 drops in the morning before meals	Protect the joints
	Mesotel	1 teaspoon in the morning before meals	Delivers antioxidant effect, normalizes microcirculation
	Chondromix	1 tablet twice a day	A chondroprotector and antioxidant
4 th	Prime Peptide Joints	1 capsule twice a day	Normalizes the condition of the musculoskeletal system
	Regenart	2 capsules a day before meals	A hepato- and chondroprotective agent

A large, light gray circular graphic on the left side of the page. Inside the circle is a stylized cross-section of skin. A vertical line represents the epidermal layer, with a pointed tip at the top. Below this, a horizontal line represents the dermal layer. In the center, there is a teardrop-shaped structure, possibly representing a sweat gland or a cyst. Several small dots are scattered in the lower half of the circle, representing pores or skin cells.

SKIN PATHOLOGIES

Vitiligo, psoriasis, neurodermatitis, eczema

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 03	4-6 drops under the tongue, once every 2 days	Normalize neuroendocrine and liver systems functioning
	Revilab SL 05	4-6 drops under the tongue in the morning every day	
	Revilab elements	1 tablet 3 times a day	
	Complex 3D	2 capsules a day	
2-3 rd	Endoluten / Revilab ML 01	1 capsule in the morning before meals, once every 3 days	Delivers anti-inflammatory and anti-autoimmune effects
	Ovagen / Ovagen Lingual or Svetinorm / Svetinorm Lingual	1-2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals every day	Normalizes liver function
		1-2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals every day	
	Pinealon / Pinealon Lingual or Cerluten / Cerluten Lingual	1-2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals every day	Normalizes CNS function
		1-2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals every day	
	Olecap	1 capsule 2 times a day with meals	Improve skin tone and texture
	Calcium Complex	1 tablet 3 times a day during meals	
	Zinsil-T	2 tablets in the morning	Normalizes CNS and liver functions
	Mesotel Neo	1 teaspoon in the morning before meals	
	Ardiliv	2 capsules a day before meals	Protects the liver
	Prime Peptide Collagen	1 capsule twice a day	Improves the condition of the skin



Herpes zoster

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 02 / Revilab ML 03	4-6 drops under the tongue in the morning / 1 capsule in the morning before meals	Regulates nerve tissue function
	Revilab SL 03 / Revilab ML 01	4-6 drops in the morning once every 2 days / 1 capsule in the morning once every 2 days	Regulates immune processes
	Revilab SL 05	4-6 drops under the tongue днем	Regulates liver function
2-3 rd	Crystagen / Crystagen Lingual or Vladonix / Vladonix Lingual	2 capsules in the morning before meals / 12-14 drops in the morning every day 2 capsules in the morning before meals / 12-14 drops in the morning every day	Restores immunity
	Ovagen / Ovagen Lingual or Svetinorm / Svetinorm Lingual	2 capsules in the morning before meals / 12-14 drops in the morning every day 2 capsules in the morning before meals / 12-14 drops in the morning every day	Normalizes liver function
	Cerluten / Cerluten Lingual	2 capsules in the morning before meals / 12-14 drops in the morning every day м	Normalizes CNS functions
	Olecap	1 capsule 2 times a day with meals	Improve skin tone and texture
	Calcium Complex	1 tablet 3 times a day during meals	
	Zinsil-T	2 tablets in the morning	
	Mesotel Neo	1 teaspoon in the morning before meals	Normalizes CNS and liver functions
	Ardiliv	2 capsules a day before meals	Functions as a hepatoprotector
	Prime Peptide Collagen	1 capsule twice a day	Improves skin condition
	Probiset	2 capsules a day	Corrects the immune system

Chromophytosis (pityriasis versicolor)

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 03 / Revilab ML 01	4-6 drops in the morning once every 2 days / 1 capsule in the morning once every 2 days	Normalizes the immune system
	Revilab SL 05	4-6 drops under the tongue in the morning	Normalizes liver function
	Cleantestin	1 teaspoon twice a day during meals	Delivers an antiparasitic effect
2-3 rd	Cleantestin	2 capsules a day before meals 1 teaspoon twice a day during meals	Exhibits an antiparasitic effect Normalizes liver function
	Vladonix / Vladonix Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning every day	Assists in restoring immunity
	Ovagen / Ovagen Lingual or Svetinorm / Svetinorm Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning every day	Normalizes liver function
	Olecap	1 capsule 2 times a day with meals	Improve skin tone and texture
	Calcium Complex	1 tablet 3 times a day during meals	
	Zinsil-T	2 tablets in the morning	
	Mesotel Neo	1 teaspoon in the morning before meals	Normalizes CNS and liver functions
4 th	Ardiliv	2 capsules a day before meals	Functions as a hepatoprotector
	Prime Peptide Collagen	1 capsule twice a day	Improves skin condition



Trophic ulcer

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 01	4-6 drops under the tongue	Improves microcirculation and venous outflow
	Revilab SL 03	4-6 drops in the morning once every 3 days	Accelerates regeneration
	Mesotel Beauty	1 teaspoon in the morning before meals	
	Cleantestin	1 teaspoon twice a day during meals	
	Revilab elements	1 tablet 3 times a day during meals	Exhibit immunotropic and antioxidant effects, improve vascular wall condition
	Complex 3D	1 capsule 3 times a day	
2-3 rd	Ardiliv	2 capsules a day before meals	Improves trophicity of the vascular wall
	Revilab ML 02	1 capsule in the morning before meals	Improve capillary health, accelerate healing
	Vesugen / Vesugen Lingual or Ventfort / Ventfort Lingual	2 capsules in the morning before meals 12-14 drops under the tongue	Improve the condition of veins and capillaries
	Complex 3D	2 capsules a day before meals	
	Calcium Complex	1 tablet 3 times a day during meals	

Furunculosis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 03	4-6 drops in the morning once every 3 days	Normalize immune system functioning
	Revilab ML 02	1 capsule in the morning before meals	
	Revilab SL 05	4-6 drops under the tongue in the afternoon	Normalizes liver function
	Mesotel Neo	1 teaspoon in the morning before meals	Normalizes CNS and liver functions
	Cleantestin	1 teaspoon twice a day during meals	Normalizes liver function
2-3 rd	Crystagen / Crystagen Lingual or Vladonix / Vladonix Lingual	2 capsules in the morning before meals 12-14 drops in the morning every day	Functions as an immunorepairing agent
	Ovagen / Ovagen Lingual or Svetinorm / Svetinorm Lingual	2 capsules in the morning before meals 12-14 drops in the morning every day	Normalizes liver function
	Olecap	1 capsule 2 times a day with meals	Improve and restore skin tone and texture
	Calcium Complex	1 tablet 2-3 times a day during meals	
	Zinsil-T	2 tablets in the morning	
	Mesotel Neo	1 teaspoon in the morning before meals	Normalizes CNS and liver functions
4 th	Ardiliv	2 capsules a day before meals	Functions as a hepatoprotector
	Prime Peptide Collagen	1 capsule twice a day	Improves skin condition
	Revilab elements	1 tablet 3 times a day during meals	Improves skin condition





Musculoskeletal pathologies

Rheumatoid arthritis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 03	4-6 drops in the morning once every 2 days	Delivers an anti-autoimmune effect
	Revilab SL 01	4-6 drops under the tongue in the morning every day	Strengthens the vascular wall and heart valves
	Revilab SL 04	4-6 drops under the tongue in the morning every day	Promotes joint regeneration
2 nd	Endoluten	1 capsule in the morning (once every 3 days)	Delivers an anti-autoimmune effect
	Olecap	1 capsule 2 times a day with meals	Protects blood vessels and valve apparatus of the heart, promotes regeneration of cartilage tissue
	Chelohart / Chelohart Lingual	2-14 drops under the tongue in the morning before meals every day	Strengthens the heart muscle
	Vesugen / Vesugen Lingual or Ventfort / Ventfort Lingual	2 capsules in the morning (once every 3 days) / 12-14 drops under the tongue in the morning before meals every day	Strengthens the vascular wall and heart valves
		2 capsules in the morning (once every 3 days) / 12-14 drops under the tongue in the morning before meals every day	
	Cartalax / Cartalax Lingual or Sigumir / Sigumir Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals every day	Promote joint regeneration
		2 capsules in the morning (once every 3 days) / 12-14 drops under the tongue in the morning before meals every day	
3 rd	Revilab ML 09	1 capsule in the morning before meals	Encourages joint regeneration
	Chondromix	1 tablet 2-3 times a day	Reduces pain and swelling
4 th	Mesotel Neo	1 teaspoon in the morning before meals	Exhibits a rejuvenating, antioxidant effect
	Canacor	1 teaspoon before noon	Normalizes metabolism in the myocardium
	Chondromix	1 tablet twice a day	Promotes joint regeneration
	Prime Peptide Joints	1 capsule twice a day	Improves the condition of joints



Arthroses, arthritides, osteochondrosis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 01	4-6 drops under the tongue	Strengthens the vascular wall and heart valves
	Revilab SL 04 / Revilab ML 09	4-6 drops in the morning / 1 capsule in the morning before meals	Promotes joint regeneration
	Regenart	2 capsules a day before meals	Protects the joints
	Chondromix	1 tablet 2-3 times a day	Promotes joint regeneration
2-3 rd	Olecap	1 capsule 2 times a day with meals	Protects blood vessels and valve apparatus of the heart, promotes cartilage tissue regeneration
	Cartalax / Cartalax Lingual or Sigumir / Sigumir Lingual	1 capsule in the morning before meals / 12-14 drops under the tongue in the morning every day	Promote joint regeneration
	Crystagen / Crystagen Lingual or Vladonix / Vladonix Lingual	2 capsules a day before meals / 12-14 drops under the tongue in the morning every day	
		2 capsules a day before meals / 12-14 drops under the tongue in the morning every day	
	Chondromix	1 tablet twice a day	
	Prime Peptide Joints/ Revilab elements	1 tablet twice a day 1 tablet 2-3 times a day	Promote joint regeneration
4 th	Olecap	1 capsule 2 times a day with meals	Promotes joint regeneration
	Chondromix	1 tablet twice a day	Promote joint regeneration
	Prime Peptide Joints	6 drops topically once a day	
	Prime Peptide Omega	1 capsule 2 times a day with meals	

Osteoporosis, fractures

Month of intake	Product	Application guidelines	Mode of action
1 st	Endoluten	1 capsule in the morning , once every 3 days (60 days)	Normalizes neuroendocrine system function
	Bonothyrk	1 capsule in the morning	Normalizes the parathyroid gland function
	Revilab SL 04 / Revilab ML 09	4-6 drops in the morning / 1 capsule in the morning before meals	Normalizes the functions of the musculoskeletal system
	Revilab elements	1 tablet 3 times a day during meals	Replenishes the deficiency of vitamins and microelements
2 nd	Bonothyrk / Bonothyrk Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning every day	Normalizes the work of parathyroid glands
	Cartalax / Cartalax Lingual or Sigumir / Sigumir Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning every day	Normalizes bine tissue metabolism
	Prime Peptide Joints	1 capsule once a day	Normalizes bone tissue metabolism
	Calcium Complex	1 tablet 3 times a day during meals	A source of calcium, magnesium and vitamins A, E, D, K





VISUAL PATHOLOGIES

Retinal angiopathy and degeneration, dry macular dystrophy, glaucoma, cataract

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 02 / Revilab ML 03	4-6 drops under the tongue in the morning / 1 capsule in the morning before meals	The complex of products prevents optic nerve atrophy and retinal degeneration
	Pinalex	1-2 drops in the eyes	
	Retisil	1 teaspoon twice a day	
2-3 rd	Visoluten / Visoluten Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning every day	Prevent retinal degeneration
	Pinealon / Pinealon Lingual or Cerluten / Cerluten Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning every day	
	Vesugen / Vesugen Lingual or Ventfort / Ventfort Lingual	1-2 capsules in the morning before meals / 12-14 drops under the tongue in the morning every day	
	Pinalex Tab	1 tablet 2-3 times a day during meals	

1

In wet macular dystrophy, edema, retinal hemorrhages only "Visoluten" and "Retisil" can be used. In retinal sclerosis (fibrosis) the use of retinal peptides is contraindicated.

2

Additionally, a complex sublingual preparation, «Visulilingual», has been developed, which involves the administration of five-fold increased in doses of peptides derived from the vascular, bronchopulmonary, brain, and immune systems. It is strongly recommended that the product be administered according to a scheme that differs significantly from the manufacturer's stated regimen. Specifically, the preparation should be taken in the morning with five to six drops under the tongue. Over the course of several weeks, the dosage of the product can be incrementally increased to a maximum of 10-12 drops. The indications and contraindications are identical to those of the other products mentioned in this section and in paragraph 1.





ENT PATHOLOGIES

Sinusitis, pharyngitis, laryngitis, tonsillitis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 06	4-6 drops under the tongue in the morning	Restores respiratory epithelium
	Mesotel Beauty	1 teaspoon in the morning before meals	Exhibits antioxidant and immunomodulatory action
	Rinolax	5-6 sprays of the "Cleansing" balm, followed by 1-2 drops of "Regenerating" Balm. Apply 2-4 times a day	Delivers immunomodulatory, antiseptic effect on the mucous nasal mucosa, relieves swelling and inflammation, restores nasal breathing
	Probiset	2 capsules a day	Promotes immunity restoration
2 nd	Taxorest/ Taxorest Lingual or Revilab ML 05	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals 1 capsule in the morning before meals	Normalize upper respiratory tract function
	Prime Peptide Omega	1 capsule 2 times a day with meals	Expedites resolution of inflammation
	Mesotel Beauty	1 teaspoon a day	Exerts ntioxidant and immunomodulatory effects
	Vladonix / Vladonix Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Helps strengthen immunity

Sensorineural hearing loss

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 02 / Revilab ML 03	4-6 drops in the morning / 1 capsule in the morning before meals	Regulate CNS function and control the regulation of vascular tone
	Mesotel Neo	1 teaspoon in the morning before meals	
	Vesugen / Vesugen Lingual or Ventfort / Ventfort Lingual	1-2 capsules in the morning before meals / 12-14 drops in the morning before meals every day	
2 nd	Pinealon / Pinealon Lingual or Cerluten / Cerluten Lingual	1-2 capsules in the morning before meals / 12-14 drops in the morning before meals every day	The complex of drugs improves oxygenation of brain cells, exerts anti-inflammatory, antioxidant and immunomodulatory effects
	Olecap	1 capsule twice a day with meals	
	Mesotel Neo	1 teaspoon in the morning before meals	
	Prime Peptide Brain	1 capsule twice a day	
3-4 th	Mesotel Neo	1 teaspoon in the morning before meals	Regulate CNS function and cerebral blood circulation



ORAL CAVITY DISORDERS

Parodontosis, stomatitis, initial caries

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab ML 09	1 capsule 1 time a day	Restores connective tissue and microcirculation in oral tissues
	Revilab SL 04	10 drops under the tongue	Restores local immunity of oral tissues
2 nd	Endoluten	1 capsule in the morning before meals	Restores local immunity of the oral tissues
	Crystagen / Vladonix	2 capsules in the morning before meals	Restores immune response of oral tissues
	Cartalax / Sigumir	2 capsules in the morning before meals	Increases regeneration of oral tissues
	Vesugen / Ventfort	2 capsules in the morning before meals	Restores microflora of oral tissues

Initial caries

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Probiset	1 capsule 2 times a day	Exerts an immunomodulatory effect





REPRODUCTIVE SYSTEM PATHOLOGIES

Male infertility, prostatitis

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab ML 07	1 capsule in the morning every third day	Regulates the neuroendocrine system, increases libido and spermatogenesis
	Revilab SL 09	6 drops under the tongue	Improves prostate function
	Revilab elements	1 tablet 2-3 times a day	Replenishes vitamin and mineral deficiencies
2-3 rd	Glandokort / Glandokort Lingual	1 capsule in the morning before meals / 12-14 drops under the tongue in the morning before meals	Regulates endocrine processes
	Mesotel Neo	1 teaspoon in the morning before meals	Provides an antioxidant effect, increases libido
	Olecap	1 capsule 2 times a day with meals	Replenishes vitamin E deficiency
	Libidon / Libidon Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Improves prostate function
	Testoluten / Testoluten Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Improves hormonal status and spermatogenesis
	Actiman	2 capsules in the morning before meals	Improves prostate function and spermatogenesis



Prostate adenoma

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Revilab ML 07	1 capsule in the morning every third day	Regulates neuroendocrine system function
	Revilab SL 09	4-6 drops under the tongue	Improve the work of the prostate gland, the condition of the bladder wall
	Libidon	2 capsules per day	
3-4 th	Libidon / Libidon Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Improves prostate function
	Chitomur / Chitomur Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning before meals	Improves bladder wall health
	Actiman	2 capsules in the morning before meals	Inhibits the growth of the adenoma

N.B. In cases where prolactin levels are elevated, the use of epiphysis preparations is not advised.

Female infertility, adnexitis, ovarian cyst, menstrual dysfunction, premenstrual syndrome

1-2-3 rd	Endoluten / Endoluten Lingual	1 capsule in the morning before meals, once every 3 days / 12 drops under the tongue, once every 3 days	Regulates neuroendocrine function, improves libido and hormonal status
	Zhenoluten / Zhenoluten Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning	Improves ovarian function
	Thyreogen / Thyreogen Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning	Normalizes thyroid function in hypothyroidism
	Femalin	2 capsules in the morning before meals	Improves estrogen and progesterone production
	Mesotel Neo	1 teaspoon twice a day	Antioxidant effect, libido enhancement
	Prime Peptide Omega	2 capsules in the morning before meals	Improves estrogen and progesterone production

Climacteric syndrome

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Endoluten / Endoluten Lingual	1 capsule in the morning before meals once every 3 days / 6-7 drops in the morning once every 3 days	Regulates neuroendocrine function, improves libido and hormonal status
	Zhenoluten / Zhenoluten Lingual	2 capsules in the morning before meals / 14 drops under the tongue in the morning	
	Femalin	2 capsules in the morning before meals	Smoothes out the manifestations of menopause
	Revilab SL 04	4-6 drops under the tongue	Prevents the development of osteoporosis, stimulates collagen synthesis
	Prime Peptide Collagen/ Revilab elements / Calcium Complex	1 tablet 2-3 times a day 1 tablet 3 times a day during meals	Contribute to joint regeneration
3-4 th	Vladonix / Vladonix Lingual	2 capsules in the morning / 14 drops under the tongue in the morning	Increases estrogen levels, delivers anti-atherogenic, anticoagulant, oncoprotective effect
	Revilab ML 08	1 capsule in the morning every third day	Reduces hot flashes, strengthens bones, joints and blood vessels; regulates bladder function
	Mesotel Neo	1 teaspoon in the morning before meals	Exerts an antioxidant effect, increases libido
	Olecap	1 capsule 2 times a day with meals	A source of vitamin E
	Mamiton	2 capsules in the morning before meals	Normalizes the female reproductive system functioning
	Temero Genero	1 tablet in the morning before meals 1 tablet in the evening before meals	Regulates neuroendocrine and immune processes
	Revilab SL 10 Calcium Complex	4-6 drops under the tongue in the morning 1 tablet 3 times a day during meals	Regulate hormonal status and function of pelvic organs



Mastopathy, uterine fibroids, ovarian cysts, endometriosis

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Revilab SL03 / Revilab ML 01 / Prime Peptide Protect	10 drops in the morning every other day / 1 capsule every other day before meals / 1 capsule every other day before meals	Regulate the neuroendocrine system
	Revifort	1 capsule in the morning before meals / 8-10 drops under the tongue in the morning	Reduces the risk of hormone-dependent tumors
	Zhenoluten	1 capsule a day	Improve liver function
	Ovagen	2 capsules in the morning before meals	
3-4 th	Vladonix / Vladonix Lingual or Crystagen / Crystagen Lingual	2 capsules in the morning before meals/ 12-14 drops under the tongue in the morning	Delivers an oncoprotective effect
	Zhenoluten / Zhenoluten Lingual	1 capsule in the morning before meals / 8-10 drops under the tongue in the morning	Normalizes ovarian function
	Thyreogen / Thyreogen Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning	Normalizes thyroid function
	Olecap	1 capsule 2 times a day with meals	A source of vitamin E
	Mamiton	1 capsule 2 times a day before meals	Normalizes the female reproductive system function
	Ardiliv	1 capsule 2 times a day before meals	Normalizes liver function, restores hormone conversion, improves the hormonal background

N.B. It is inadvisable to prescribe epiphysis preparations in cases where prolactin levels are elevated.

Salpingo-oophoritis, endometritis, gynecological surgeries

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 03 / Revilab ML 01	12 drops under the tongue in the morning every other day / 1 capsule in the morning every other day before meals	Regulates the neuroendocrine function, improves libido and hormonal status
	Zhenoluten / Zhenoluten Lingual	1 capsule in the morning before meals / 12-14 drops under the tongue in the morning	Improves ovarian function (while preserving ovarian tissue)
	Vladonix / Vladonix Lingual or Crystagen / Crystagen Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue in the morning	Exhibits an oncoprotective effect
	Revilab elements	1 capsule 2-3 times a day during meals	Replenishes of vitamin and micronutrient deficiencies

Initial stages of pelvic organ prolapse with symptoms of stress urinary incontinence

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab SL 03	4-6 drops under the tongue in the morning 1 time in 3 days	Regulates hormonal status
	Revilab SL 10	4-6 drops under the tongue in the morning	Improves bladder function
	Prime Peptide Collagen / Prime Peptide Joints	1 capsule 1 time a day / 1 capsule 1 time a day	Enhance collagen metabolism
	Revilab elements	1 tablet 2-3 times a day	
2 nd	Endoluten Lingual	6-7 drops in the morning 1 раз в 3 дня	Regulates hormonal status
	Chitomur / Chitomur Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue	Improves bladder function
	Zhenoluten / Zhenoluten Lingual	2 capsules in the morning before meals / 12-14 drops under the tongue	Improves ovarian function
	Revilab elements/	1 tablet 2-3 times a day	
	Prime Peptide Joints / Prime Peptide Collagen	1 capsule 1 time a day / 1 capsule 1 time a day	Replenish the deficiency of vitamins and minerals supporting collagen synthesis and assembly
3-4 th	Endoluten (3rd)	1 capsule in the morning every third day	Regulates hormonal status
	Revilab ML 08 (4th)	1 capsule in the morning every third day	Improves bladder function
	Mesotel Neo	1 teaspoon in the morning before meals	Delivers an antioxidant effect, increases libido
	Femalin	1 capsule in the morning before meals	Improves the genitourinary system function



CHRONIC INTOXICATIONS

Heavy-metal poisoning

Month of intake	Product	Application guidelines	Mode of action
1 st	Endoluten / Revilab ML 01	1 capsule in the morning before meals once every 3 days (60 days)	Exhibits antitoxic and immunoregulatory effects
	Mesotel Neo	1 teaspoon in the morning before meals	Functions as an antioxidant, neuro- and hepatoprotector
	Ardiliv	1 capsule 2 times a day before meals (in the morning and evening)	A source of DHA and resveratrol, protects the liver and blood vessels
	Panaxod	2 capsule twice a day before meals	A source of SOD, functions as an antioxidant and oncoprotector
	Revilab elements	1 tablet 3 times a day	Provides antioxidant protection of the body
	Reviplant	1-3 tablets a day	Functions as a hepato- and angioprotector, antioxidant
	Cleantestin	1 teaspoon twice a day during meals	Normalizes antitoxic function of the liver
2 nd	Crystagen / Vladonix	2 capsules of each product in the morning before meals	Functions as an immunocorrector
	Ovagen / Svetinorm		Functions as a hepatoprotector
	Pinealon / Cerluten		Functions as a neuroprotectant
	Pielotax		Protects the kidneys
	Vesugen / Ventfort		Functions as an angioprotector
	Or Crystagen Lingual / Vladonix Lingual; Ovagen Lingual / Svetinorm Lingual; Pinealon Lingual / Cerluten Lingual; Pielotax Lingual; Vesugen Lingual / Ventfort Lingual	12-14 drops of each product under the tongue in the morning before meals, every day	
	Volustom	Dilute 1 teaspoon in 100 ml of water in the morning before meals and at night	Delivers an adsorbing effect
3 rd	Revilab elements	1 tablet 3 times a day	Replenishes the necessary amount of nutrients for proper mitochondrial function
	Complex 3D	2 capsules in the morning before meals	A source of DHA, SOD, catalase
	Prime Peptide Protect	1 capsule 1-2 times a day	Antioxidant, detoxifying, and anti-cancer effects
	Revimite	1 teaspoon 1-2 times a day	A source of iron, vitamins, functions as an antioxidant
	Calcium Complex	1 tablet 3 times a day during meals	Replenishes calcium and magnesium deficiency

Alcoholism

Month of intake	Product	Application guidelines	Mode of action
1 st	Endoluten / Revilab ML 01	1 capsule in the morning before meals once every 3 days (60 days)	Exhibits antitoxic and immunoregulatory effects
	Mesotel Neo	1 teaspoon in the morning before meals	Functions as an antioxidant, neuro- and hepatoprotector
	Ardiliv	1 capsule 2 times a day before meals (in the morning and evening)	A source of DHA and resveratrol, protects the liver and blood vessels
	Trezvon	1-3 tablets a day	Delivers antitoxic and antihangovers effect
	Revilab elements	1 tablet 3 times a day	Provides antioxidant protection of the body
	Reviplant	1 tablespoon a day	A hepato- and angioprotector, antioxidant
	Pangluin	1 teaspoon in the morning before meals	Improves pancreatic function
	Cleantestin	1 teaspoon twice a day during meals	Normalizes antitoxic function of the liver
2-3 rd	Crystagen / Vladonix	1-2 capsules in the morning before meals	Functions as an immunocorrector
	Ovagen / Svetinorm		Protects the liver
	Pinealon / Cerluten		Ensures a beneficial effect on the CNS
	Vesugen / Ventfort		Functions as an angioprotector
	Suprefort		Protects pancreatic cells
	Or Crystagen Lingual / Vladonix Lingual Ovagen Lingual / Svetinorm Lingual Pinealon Lingual/ Cerluten Lingual Vesugen Lingual / Ventfort Lingual Suprefort Lingual	12-14 drops of each product under the tongue in the morning before meals, on a daily basis	
	Mesotel Neo	1 teaspoon in the morning before meals	Functions as an antioxidant, neuro- and hepatoprotector
	Revilab elements	1 tablet 3 times a day	Restores mitochondrial function
4 th	Complex 3R	2 tablets in the morning before meals	Functions as a hepato- and angioprotective agent
	Calcium Complex	1 tablet 3 times a day during meals	Replenishes vitamin and mineral deficiency

Basic express detoxification program

Month of intake	Product	Application guidelines	Mode of action
1 st	Revilab ML 01 / Prime Peptide Protect	1 capsule in the morning , once every 2 days (60 days)	Improves antioxidant status, liver and immune system functions
	Volustom	Dilute 1 teaspoon in 100 ml of water in the morning before meals and before bedtime	Provides adsorbing action, improves motility of the gastrointestinal tract
	Digemax	1-2 times a day 30 minutes before meals	Exerts anti-inflammatory action, reduces intoxication by products of nitrogen metabolism
	Cleantestin	1 teaspoon twice a day during meals	Normalizes antitoxic liver function
	Revilab elements	1 tablet 3 times a day	Restores mitochondrial function
	Complex 3D	1 capsule in the morning and evening	Functions as an antioxidant
2 nd	Volustom	Dilute 1 teaspoon in 100 ml of water in the morning before meals and before bedtime	Exhibits an adsorbing effect, improves GI motility
	Reviplant	1-2 times a day	Delivers an antitoxic effect
	Revilab elements	1 tablet 3 times a day	Restores mitochondrial function
	Complex 3R	1 tablet twice a day before meals	Contains a combination of antioxidants
3 rd	Volustom	Dilute 1 teaspoon in 100 ml of water in the morning before meals and before bedtime	Produces adsorbing effect, improves motility of the gastrointestinal tract
	Likam	1-2 tablets a day before meals	Ensures antitoxic and immunomodulatory effect
	Revilab elements	1 tablet 3 times a day	Restores mitochondrial function
	Trezvon	1-2 tablets a day before meals	Delivers an antitoxic, hepatoprotective effect. Accelerates the 2nd phase of detoxification, normalizes the course of the 1 st phase of detoxification
	Svetinorm	2 capsules per day	Improves liver function





ONCOLOGY DISEASES

Oncology diseases (in combination with prescribed therapy)

(A. Basic scheme (developed in conjunction with R.N. Pinaev)

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Endoluten / Endoluten Lingual	1-2 capsules in the morning before meals, once every 3 days / 15-20 drops under the tongue in the morning before meals	Peptides from epiphysis, thymus and bone marrow can provide anti-tumor effects
	Vladonix / Vladonix Lingual	4 capsules in the morning before meals / 15-20 drops under the tongue in the morning before meals	
	Bonomarlot / Bonomarlot Lingual	2 capsules in the morning before meals / 15-20 drops under the tongue in the morning before meals	
	Revifort	2 capsules a day before meals	Functions as a beta-D-glucan-based cancer protector
	Indosine	1 tablet a day before meals	Functions as an oncoprotective agent based on indole-3- carbinol, catalase and SOD
	Panaxod / Complex 3D	2 capsules 2-3 times a day before meals	A source of SOD, functions as as an oncoprotectant and antioxidant.
	Reviplant	1-3 tablets a day (during chemotherapy and radiation therapy)	Reduces intoxication, supports liver, heart, brain, muscle and immune system function
	Mesotel Neo	1 teaspoon in the morning before meals	Functions as an antioxidant, neuro- and hepatoprotector
	Ardiliv	1 capsule 2 times a day before meals (in the morning and evening)	A source of DHQ and resveratrol, functions as a hepato- and angioprotective agent
3-4 th	Likam	1-2 tablets a day	Functions as an oncoprotectant delivering detoxifying effects
	Levain	1-2 tablets a day	A cancer-protective agent, strengthens immunity, improves lymphatic drainage
	Mesotel Beauty	1 teaspoon in the morning before meals	Ensures an antioxidant effect, replenishes zinc and selenium deficiency
	Zinsil-T	2 tablets a day	A source of zinc and pyridoxine
	Calcium Complex	1 tablet 2-3 times a day during meals	A source of calcium and magnesium, vitamins A, E, D, K
	Probiset	2 capsules a day before meals	Restores immunity
	Prime Peptide Omega	1 capsule twice a day	Exhibits an immunomodulatory effect
	Prime Peptide Protect	1 capsule twice a day	Protects the liver and GI tract
	Ensil	1 capsule 3 times a day	An antioxidant, membrane stabilizing agent

Oncology diseases (in combination with prescribed therapy)

B. Alternative scheme (developed In conjunction with R.N. Pinaev)

Month of intake	Product	Application guidelines	Mode of action
1-3 rd	Revilab SL 03 / Revilab ML 01	8-12 drops in the morning (once every 3 days) / 1 capsule in the morning (once every 3 days)	Peptides from epiphysis, thymus and bone marrow can provide anti-tumor effects
	Revilab SL 07 / Revilab ML 02	4-6 drops under the tongue in the morning / 2 capsules in the morning before meals	
	Revifort	2 capsules a day before meals	A beta-glucan-based cancer-protective agent
	Indosine	1 tablet a day before meals	A cancer protective agent based on indole-3-carbinol, catalase and SOD
	Panaxod	2 capsules 2-3 times a day before meals	A source of SOD, functions as an oncoprotectant and antioxidant.
	Reviplant	1 tablespoon a day (during chemotherapy and radiation therapy)	Reduces intoxication, supports liver, heart, brain, muscle and immune system function
4-5 th	Prime Peptide Protect Prime Peptide Omega	1 capsule twice a day 1 capsule twice a day	Oncoprotective and immunocorrective functions
	Likam	1-2 tablets a day	Functions as an oncoprotectant delivering detoxifying effects
	Levain	1-2 tablets a day	An oncoprotectant, an immunostimulant and a lymphotonic agent
	Mesotel Beauty	1 teaspoon in the morning before meals	Functions as an antioxidant, a source of zinc and selenium.
	Olecap	1 capsule 2 times a day with meals	An antioxidant, membrane stabilizing agent
	Zinsil-T	2 tablets a day	A source of zinc and pyridoxine
	Calcium Complex	1 tablet 3 times a day during meals	A source of calcium and magnesium, vitamins A, E, D, K
	Probiset	2 capsules a day before meals	Restores immunity
	Ensil	1 capsule 3 times a day	An antioxidant, membrane stabilizing agent

N.B. With the exception of melanoma, lymphoma, leukemia, and myeloma!

Cancer prevention

(the scheme is developed in conjunction with R.N. Pinaev)

Month of intake	Product	Application guidelines	Mode of action
1 st	Endoluten / Revilab ML 01	1 capsule in the morning before meals, once every 3 days	Epiphysis and thymus peptides provide powerful anti-tumor effects
	Vladonix / Revilab ML 02	1-2 capsules in the morning before meals	
	Panaxod / Complex 3D	2 capsules a day before meals	Functions as a source of SOD, an oncoprotectant, and antioxidant
	Ensil	1 capsule 3 times a day	An anti-oxidant and membrane- stabilizing agent
	Mesotel Neo	1 teaspoon in the morning before meals	An antioxidant, neuro- and hepatoprotective agent
	Cleantestin	1 teaspoon twice a day during meals	Normalizes antitoxic liver function
	Revilab elements	1 tablet 3 times a day	Restores mitochondrial function
	Ardiliv	1 capsule 2 times a day before meals (in the morning and evening)	A source of DHQ and resveratrol, functions as a hepato- and angioprotector
2 nd	Mesotel Beauty	1 teaspoon in the morning before meals	A source of zinc and selenium, an antioxidant agent
	Temero Genero	1 tablet in the morning 1 tablet in the evening	Regulates the functions of the neuroendocrine and immune systems
	Probiset	2 capsules a day	Restores immunity
	Revifort	2 capsules a day before meals	A beta-glucan-based cancer-protective agent
	Indosine	1 tablet a day before meals	A cancer-protective agent based on indole-3-carbinol, catalase and SOD
	Revilab elements	1 tablet 3 times a day	Restores mitochondrial function
	Complex 3R	2 tablets in the morning before meals	Contains a combination of antioxidants: Q10, DHQ and resveratrol
	Prime Peptide Protect	1 capsule twice a day	Antioxidant, detoxifying, and anti-cancer functions

N.B. The course of cancer prevention is recommended to be taken twice a year.





PEPTIDE PREVENTION OF PREMATURE AGING

N.B. The recommended courses for prevention of premature aging can be taken two or three times a year.

Premature aging prevention (Revilab ML)

Stage	Product	Application guidelines	Mode of action
1 st	Revilab ML 04 + Revilab ML 01 (once every 2 days, course duration is 60 days) Revilab ML 03 (every day) Revilab ML 02 (every day)	1 capsule in the morning (from day 1 to day 30)	Normalize the neuroendocrine, immune, hematopoietic, nervous and vascular systems
	Revilab elements	1 tablet 3 times a day	Restore mitochondrial function
	Complex 3D	1 capsule in the morning and evening	
2 nd	Revilab ML 05 Revilab ML 06 Revilab ML 09	1 capsule of each product in the morning daily (from day 31)	Normalize functioning of the liver, pancreas, stomach, musculoskeletal and respiratory system
	Revilab elements	1 tablet 3 times a day	Restore mitochondrial function
	Complex 3D	1 capsule in the morning and evening	
3 rd	Revilab ML 07 (male) Revilab ML 08 (female)	1 capsule in the morning once every 2 days (from day 61)	Normalize the function of the urogenital system
	Revilab elements	1 tablet 3 times a day	Restore mitochondrial function
	Complex 3D	1 capsule in the morning and evening	

Express course of premature aging prevention (Revilab SL)

Stage	Product	Application guidelines	Mode of action
1 st	Revilab SL 01	3-4 drops under the tongue in the morning	Normalize the neuroendocrine, immune, hematopoietic, nervous and vascular systems
	Revilab SL 02	3-4 drops under the tongue in the morning	
	Revilab SL 03 (once every 2 days) Revilab SL 07	4-6 drops under the tongue in the morning	
	Revilab elements	1 tablet 3 times a day	Restore mitochondrial function
	Complex 3D	1 capsule in the morning and evening	
2 nd	Revilab SL 04	3-4 drops under the tongue in the morning	Normalize the work of the liver, pancreas, stomach, musculoskeletal system, lungs and urinary system
	Revilab SL 05	3-4 drops under the tongue in the morning	
	Revilab SL 06	3-4 drops under the tongue in the morning	
	Revilab SL 08	3-4 drops under the tongue in the morning	Restore mitochondrial function
	Revilab elements	1 tablet 3 times a day	
3 rd	Complex 3D	1 capsule in the morning and evening	Normalize the function of the urogenital system
	Revilab SL 09 (male) Revilab SL 10 (female)	4-6 drops of each product under the tongue in the morning	
	Revilab elements	1 tablet 3 times a day	Restore mitochondrial function
	Complex 3D	1 capsule in the morning and evening	

Express course of premature aging prevention (cytogens)

Stage	Product	Application guidelines	Mode of action
1 st	Crystagen / Crystagen Lingual Pinealon /Pinealon Lingual	2 capsules of each preparation in the morning (from day 1 to day 10) / 12 to 14 drops of each preparation under the tongue in the morning, on the daily basis	Normalize the immune, nervous and vascular systems
	Vesugen / Vesugen Lingual		
	Revilab elements	1 tablet 3 times a day	Restore mitochondrial function
	Complex 3D	1 capsule in the morning and evening	
2 nd	Chonluten / Chonluten Lingual Ovagen / Ovagen Lingual	2 capsules of each preparation in the morning (from day 11 to day 20) / 12-14 drops of each preparation under the tongue in the morning, on the daily basis	Normalize the functioning of the liver, stomach, lungs and musculoskeletal system
	Cartalax / Cartalax Lingual		
	Revilab elements	1 tablet 3 times a day	Restore mitochondrial function
	Complex 3D	1 capsule in the morning and evening	

Express prevention of premature aging (cytomaxes)

Stage	Product	Application guidelines	Mode of action
1 st	Endoluten	1 capsule in the morning once every 3 days (course of 60 days)	Normalize the neuroendocrine, immune, nervous and vascular systems
	Vladonix		
	Ventfort		
	Cerluten	2 capsules of each product in the morning (from day 1 to day 10)	
	Visoluten		
	Thyreogen		
	Chelohart		
2 nd	Revilab elements	1 tablet 3 times a day	Restore mitochondrial function
	Complex 3D	1 capsule in the morning and evening	
	Svetinorm		Normalize the work of the liver, pancreas, stomach, kidneys and musculoskeletal system
	Suprefort		
	Chonluten	2 capsules of each product in the morning (from day 11 to day 20)	
	Pielotax		
	Sigumir		
3 rd	Revilab elements	1 tablet 3 times a day	Restore mitochondrial function
	Complex 3D	1 capsule in the morning and evening	
	Zhenoluten (female)		Normalize the work of urogenital system
	Chitomur (female)		
	Glandokort (female)	2 capsules of each product in the morning (from day 21 to day 30)	
	Libidon (male)		
	Testoluten (male)		
	Glandokort (male)		
	Revilab elements	1 tablet 3 times a day	Restore mitochondrial function
	Complex 3D	1 capsule in the morning and evening	

Express course of premature aging prevention (lingual cytomaxes)

Product Group	Product	Application guidelines	Mode of action
1 st	Endoluten Lingual	6-7 drops under the tongue in the morning, once every 3 days (course of 60 days)	Normalize the neuroendocrine, immune, nervous and vascular systems
	Vladonix Lingual	12-14 drops of each product under the tongue in the morning before meals, daily (from day 1 to day 14)	
	Ventfort Lingual		
	Cerluten Lingual		
	Visoluten Lingual		
	Thyreogen Lingual		
	Chelohart Lingual		
2 st	Revilab elements	1 tablet 3 times a day	Restore mitochondrial function
	Complex 3D	1 capsule in the morning and evening	
	Svetinorm Lingual	12-14 drops of each product under the tongue in the morning before meals, daily (from day 15 to the day 28)	Normalize the work of the liver, pancreas, stomach, kidneys and musculoskeletal system
	Suprefort Lingual		
	Chonluten Lingual		
	Pielotax Lingual		
	Sigumir Lingual		
Revilab elements	1 tablet 3 times a day	Restore mitochondrial function	
Complex 3D	1 capsule in the morning and evening		
3 st	Zhenoluten Lingual (female)	12-14 drops of each drug under the tongue in the morning before meals, daily (from day 29 to the day 43)	Normalize the work of urogenital system
	Chitomur Lingual (female)		
	Glandokort Lingual (female)		
	Libidon Lingual (male)		
	Testoluten Lingual (male)		
	Glandokort Lingual (male)		
	Revilab elements	1 tablet 3 times a day	Restore mitochondrial function
Complex 3D	1 capsule in the morning and evening		

NEW

EXPRESS COURSE PREMATURE AGING PREVENTION (PRIME PEPTIDE)

Stage	Product	Application guidelines	Mode of action
1 st	Prime Peptide Omega	2 capsules every day	Normalization of the immune and neuroendocrine systems, and detoxification
	Prime Peptide Protect	1 capsule every other day	
	Revilab Elements	1 tablet 3 times a day	Normalization of nutrient balance and mitochondrial function
	Complex 3D	1 tablet 3 times a day	Antioxidant, detoxifying, and angioprotective effects
2 nd	Prime Peptide Joints	1 capsule per day	Restoring collagen in ligaments, joints, and skin
	Prime Peptide Collagen	1 capsule per day	Improving brain tissue function
	Prime Peptide Brain	2 capsules per day	
	Revilab Elements	1 tablet 3 times a day	Normalization of nutrient balance and mitochondrial function
	Complex 3D	1 capsule twice a day	Antioxidant, detoxifying, and angioprotective effects

NEW

EXPRESS PREVENTION OF PREMATURE AGING IN POST-COVID SYNDROME (2-3 MONTHS)

Product	Application guidelines	Mode of action
GPL Man	1 capsule in the morning every day and 2 capsules every third day	Normalization of the neuroendocrine axis functions Restoration of sensitivity to sex hormones Normalization of detoxification function Normalization of insulin resistance Normalization of vascular function, the central nervous system, the liver, and the testicles
+ Revilab Elements + Complex 3D + Revilab Anti-A.G.E.	2 tablets per day 2 capsules per day 2 capsules per day	Correction of mitochondrial functions and micronutrient balance Antioxidant and detoxifying effects Antioxidant and detoxifying effects
+ Prime Peptide Collagen + Prime Peptide Joints	1 capsule per day 1 capsule per day	Restoring collagen levels in the body
GPL Femme	1 capsule in the morning every day and 2 capsules every third day	Normalization of the neuroendocrine axis functions Restoration of sensitivity to sex hormones Normalization of detoxification function Normalization of insulin resistance Normalization of vascular, central nervous, liver, thyroid, and ovarian functions
+ Revilab Elements + Complex 3D + Revilab Anti-A.G.E.	2 tablets per day 2 capsules per day 2 capsules per day	Correction of mitochondrial functions and micronutrient balance Antioxidant and detoxifying effects Anti-glycating effect
+ Prime Peptide Collagen + Prime Peptide Joints	1 capsule per day 1 capsule per day	Restoring collagen levels in the body





Allergy

Month of intake	Product	Application guidelines	Mode of action
1-2 nd	Revilab SL 03	4-6 drops in the morning once every 2 days	Exhibits anti-allergic action, corrects the immune response
	Revilab SL 05	4-6 drops under the tongue in the morning	Reduces manifestations of food allergies
	Revilab SL 06	4-6 drops under the tongue вечером	Reduces the symptoms of respiratory allergies
	Pangluin	1 teaspoon a day	Provides anti-allergic action
	Cleantestin	1 teaspoon twice a day during meals	Normalizes antitoxic liver function
	Revilab elements	1 tablet 3 times a day	Restores mitochondrial function
3-4 th	Revilab ML 01	1 capsule in the morning once every 2 days	Corrects the immune response, protects the liver
	Revilab ML 05	1 capsule in the morning before meals	Reduces the symptoms of respiratory allergies
	Mesotel Beauty	1 teaspoon in the morning before meals	An antioxidant, hepatoprotector, source of zinc and selenium
	Zinsil-T	2 tablets in the afternoon	A source of zinc and pyridoxine
	Calcium Complex	1 tablet 3 times a day during meals	A source of calcium and magnesium
	Probiset	2 capsules a day before meals	An immune modulator
	Ensil	1 capsule 3 times a day	Delivers antioxidant and anti-allergic effects
	Temero Genero	1 tablet in the morning before meals 1 tablet in the evening before meals	Regulates neuroendocrine and immune processes



Anaemia (only applicable in the absence of suspicion of lymphoma, leukaemia or myeloma)

Month of intake	Product	Application guidelines	Mode of action
1-3 rd	Bonomarlot / Bonomarlot Lingual (1 st month)	2 capsules in the morning before meals / 12-14 drops under the tongue	Delivers a regulatory effect on bone marrow cells
	Revilab SL 07 / Revilab ML 02	4-6 drops under the tongue in the morning / 1 capsule in the morning before meals	Stimulates hematopoiesis
	Revimite	1 teaspoon 1-2 times a day	A source of iron, B vitamins and organic acids
	Ensil/	1 capsule 3 times a day	Normalizes tissue respiration processes
	Revilab elements	1 tablet 3 times a day during meals	

Support of the body during sporting activities

Month of intake	Product	Application guidelines	Month of intake
1-2 nd	Endoluten / Revilab ML 04	1 capsule in the morning before meals once every 3 days	Normalizes neuroendocrine balance, improves heart and vascular function
	Mesotel Tabs	1 tablet in the morning before meals	Normalizes neuromuscular impulse transmission
	Complex 3D	2 tablets a day before meals	A hepatoprotective, angioprotective, antioxidant agent
	Amvix	1-2 tablets a day	A source of BCAAs
	Prime Peptide Joints / Revilab ML 09	1 capsule twice a day with meals	Enhances collagen metabolism
	Revilab elements	1 tablet 2-3 times a day during meals	Replenishes vitamin and mineral deficiencies which support collagen synthesis and assembly
3 rd	Glandokort / Glandokort Lingual	1-2 capsules of each product in the morning before meals / 12-14 drops of each product under the tongue in the morning before meals	The complex of peptides provides resistance to stresses of the main systems of the body
	Ventfort / Ventfort Lingual		
	Chelohart / Chelohart Lingual		
	Gotratix / Gotratix Lingual		
	Sigumir / Sigumir Lingual		
	Cerluten / Cerluten Lingual	1 teaspoon 1-2 times a day	A source of iron, vitamin B, trace elements
	Revimite		